Pain 117 (2005) 484–486

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 117 (2005)

Aaron, L.A., see Turner, J.A., **117** 377
Abbadie, C., see Lindia, J.A., **117** 145
Ahn, D.K., Chae, J.M., Choi, H.S., Kyung, H.M., Kwon, O.W., Park, H.S., Youn, D.H., Bae, Y.C., Central cyclooxygenase inhibitors reduced IL-1β-induced hyperalgesia in temporomandibular joint of freely moving rats, **117** 204
Allchorne, A.J., see Kohno, T., **117** 77
Almási, R., see Bölcskei, K., **117** 368
Ambalavanar, R., Moritani, M., Dessem, D., Trigeminal $P2X_3$ receptor expression differs from dorsal root ganglion and is modulated by deep tissue inflammation, **117** 280
Anderson, H.A., see Wilson, J.A., **117** 421
Arendt-Nielsen, L., see Gazerani, P., **117** 223
Arntz, A., see Sieben, J.M., **117** 162
Asai, H., Ozaki, N., Shinoda, M., Nagamine, K., Tohnai, I., Ueda, M., Sugiura, Y., Heat and mechanical hyperalgesia in mice model of cancer pain, **117** 19

Bae, Y.C., see Ahn, D.K., **117** 204
Baker, S.J., see Dubé, G.R., **117** 88
Banik, R.K., Subieta, A.R., Wu, C., Brennan, T.J., Increased nerve growth factor after rat plantar incision contributes to guarding behavior and heat hyperalgesia, **117** 68
Bär, K.-J., Brehm, S., Boettger, M.K., Boettger, S., Wagner, G., Sauer, H., Pain perception in major depression depends on pain modality, **117** 97
Barr, G.A., Gao, P., Wang, S., Cheng, J., Qin, J., Sibille, E.L., Pavlidis, P., Microarray analysis of gene expression following the formalin test in the infant rat, **117** 6
Bartsch, T., Levy, M.J., Knight, Y.E., Goadsby, P.J., Inhibition of nociceptive dural input in the trigeminal nucleus caudalis by somatostatin receptor blockade in the posterior hypothalamus, **117** 30
Becerra, L., see Borsook, D., **117** 247
Beck, J.G., see Palyo, S.A., **117** 121
Befort, K., see Kohno, T., **117** 77
Benedetti, F., Finniss, D.G., Response to 'Problems with the open-hidden paradigm: the debate is still open and the answer is still hidden' by Luciana AC Machado, **117** 241
Bereiter, D.A., Okamoto, K., Bereiter, D.F., Effect of persistent monoarthritis of the temporomandibular joint region on acute mustard oil-induced excitation of trigeminal subnucleus caudalis neurons in male and female rats, **117** 58
Bereiter, D.F., see Bereiter, D.A., **117** 58
Besson, M., Brook, P., Chizh, B.A., Pickering, A.E., Tactile allodynia in patients with postherpetic neuralgia: Lack of change in skin blood flow upon dynamic stimulation, **117** 154
Boettger, M.K., see Bär, K.-J., **117** 97
Boettger, S., see Bär, K.-J., **117** 97
Bölcskei, K., Helyes, Z., Szabó, Á., Sándor, K., Elekes, K., Németh, J., Almási, R., Pintér, E., Pethő, G., Szolcsányi, J., Investigation of the role of TRPV1 receptors in acute and chronic nociceptive processes using gene-deficient mice, **117** 368
Borsook, D., Becerra, L., Functional imaging of pain and analgesia—A valid diagnostic tool?, **117** 247
Bowsher, D., Haggett, C., Paradoxical burning sensation produced by cold stimulation in patients with neuropathic pain, **117** 230
Breese, N.M., see Dubé, G.R., **117** 88
Brehm, S., see Bär, K.-J., **117** 97
Brennan, T.J., see Banik, R.K., **117** 68
Brioni, J.D., see Dubé, G.R., **117** 88
Brook, P., see Besson, M., **117** 154
Bryant, B.P., see Inoue, T., **117** 193

Calixto, J.B., see Ferreira, J., **117** 171
Callén, A., see Veciana, M., **117** 443
Carlton, S.M., see Rocha-González, H.I., **117** 182
Carroll, L.J., see Mercado, A.C., **117** 51
Cassidy, J.D., see Mercado, A.C., **117** 51
Chae, J.M., see Ahn, D.K., **117** 204
Chan, V.W.S., see Gagliese, L., **117** 412
Chanda, M.L., see Mogil, J.S., **117** 1
Cheng, J., see Barr, G.A., **117** 6
Chizh, B.A., see Besson, M., **117** 154
Choi, H.S., see Ahn, D.K., **117** 204
Colvin, L.A., see Wilson, J.A., **117** 421
Côté, D.C.P., see Mercado, A.C., **117** 51
Covey, D.F., see Pathirathna, S., **117** 326
Cummings, M., see Stener-Victorin, E., **117** 237
Curran, H.V., see Kamboj, S.K., **117** 388
Cyna, A.M., Words can help!, **117** 239

Danov, S.E., see Symons, F.J., **117** 473
Danziger, N., Willer, J.-C., Tension-type headache as the unique pain experience of a patient with congenital insensitivity to pain, **117** 478
Davar, G., see Wasan, A.D., **117** 450
de C Williams, A.C., Psychological distress and opioid efficacy: More questions than answers, **117** 245
de C. Williams, A.C., see Yates, S.L., **117** 314
Dessem, D., see Ambalavanar, R., **117** 280
Dickenson, A. H, see Suzuki, R., **117** 292
Dilley, A., Lynn, B., Pang, S.J., Pressure and stretch mechanosensitivity of peripheral nerve fibres following local inflammation of the nerve trunk, **117** 462
Dubé, G.R., Lehto, S.G., Breese, N.M., Baker, S.J., Wang, X., Matulenko, M.A., Honoré, P., Stewart, A.O., Moreland, R.B., Brioni, J.D., Electrophysiological and in vivo characterization of A-317567, a novel blocker of acid sensing ion channels, **117** 88
Dworkin, R.H., see Foster, D.C., **117** 128

Eccleston, C., see Yates, S.L., **117** 314
Elekes, K., see Bölcskei, K., **117** 368
Ellis, W., see Gagliese, L., **117** 412
Endo, K., see Inada, Y., **117** 251
Ernst, E., see Lee, H., **117** 238
Evers, S., see Leinisch, E., **117** 396

Ferreira, J., Trichês, K.M., Medeiros, R., Calixto, J.B., Mechanisms involved in the nociception produced by peripheral protein kinase c activation in mice, **117** 171
Finer, B., Letter to the Editor regarding Morley et al. Possible selves in chronic pain: Self-pain enmeshment, adjustment and acceptance, **117** 243

doi:10.1016/S0304-3959(05)00445-8

Finniss, D.G., see Benedetti, F., **117** 241
Fleetwood-Walker, S.M., see Wilson, J.A., **117** 421
Förderreuther, S., Straube, A., Response to Dr Galer, **117** 242
Forssell, H., see Jääskeläinen, S.K., **117** 349
Foster, D.C., Dworkin, R.H., Wood, R.W., Effects of intradermal foot and forearm capsaicin injections in normal and vulvodynia-afflicted women, **117** 128
Furukawa, K., see Handa, Y., **117** 271
Furukawa, K., see Handa, Y., **117** 271

Gagliese, L., Weizblit, N., Ellis, W., Chan, V.W.S., The measurement of postoperative pain: A comparison of intensity scales in younger and older surgical patients, **117** 412
Galer, B.S., Response to: Response to letter regarding 'Impaired self-perception of the hand in complex regional pain syndrome', **117** 242
Gao, P., see Barr, G.A., **117** 6
Garry, E.M., see Wilson, J.A., **117** 421
Gazerani, P., Arendt-Nielsen, L., The impact of ethnic differences in response to capsaicin-induced trigeminal sensitization, **117** 223
Goadsby, P.J., see Bartsch, T., **117** 30
Granados-Soto, V., see Rocha-González, H.I., **117** 182

Haggett, C., see Bowsher, D., **117** 230
Hamunen, K., Kontinen, V., Systematic review on analgesics given for pain following tonsillectomy in children, **117** 40
Handa, Y., Ozaki, N., Honda, T., Furukawa, K., Tomita, Y., Inoue, M., Furukawa, K., Okada, M., Sugiura, Y., GD3 synthase gene knockout mice exhibit thermal hyperalgesia and mechanical allodynia but decreased response to formalin-induced prolonged noxious stimulation, **117** 271
He, Z.-J., see Winston, J.H., **117** 214
Helyes, Z., see Bölcskei, K., **117** 368
Hoheisel, U., Unger, T., Mense, S., The possible role of the NO-cGMP pathway in nociception: Different spinal and supraspinal action of enzyme blockers on rat dorsal horn neurones, **117** 358
Honda, T., see Handa, Y., **117** 271
Honoré, P., see Dubé, G.R., **117** 88
Hunt, S. P, see Suzuki, R., **117** 292
Huntoon, M.A., Anatomy of the cervical intervertebral foramina: vulnerable arteries and ischemic neurologic injuries after transforaminal epidural injections, **117** 104
Hurwitz, H., see Porter, L.S., **117** 340

Iannetti, G.D., Zambreanu, L., Tracey, I., Response to Dr Ochoa, **117** 236
Inada, Y., Morimoto, S., Moroi, K., Endo, K., Nakamura, T., Surgical relief of causalgia with an artificial nerve guide tube: Successful surgical treatment of causalgia (Complex Regional Pain Syndrome Type II) by in situ tissue engineering with a polyglycolic acid-collagen tube, **117** 251
Inoue, M., see Handa, Y., **117** 271
Inoue, T., Bryant, B.P., Multiple types of sensory neurons respond to irritating volatile organic compounds (VOCs): Calcium fluorimetry of trigeminal ganglion neurons, **117** 193
Ito, N., see Kohno, T., **117** 77

Jääskeläinen, S.K., Teerijoki-Oksa, T., Forssell, H., Neurophysiologic and quantitative sensory testing in the diagnosis of trigeminal neuropathy and neuropathic pain, **117** 349
Jamison, R., see Wasan, A.D., **117** 450
Jevtovic-Todorovic, V., see Pathirathna, S., **117** 326
Ji, R.-R., see Kohno, T., **117** 77
Ji, Y., Tang, B., Traub, R.J., Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat, **117** 433
Jones, L., see Kamboj, S.K., **117** 388
Jones, T.L., Sorkin, L.S., Activated PKA and PKC, but not CaMKIIα, are required for AMPA/Kainate-mediated pain behavior in the thermal stimulus model, **117** 259
Jürgens, T., see Leinisch, E., **117** 396

Kaempfe, N., see Leinisch, E., **117** 396
Kamboj, S.K., Tookman, A., Jones, L., Curran, H.V., The effects of immediate-release morphine on cognitive functioning in patients receiving chronic opioid therapy in palliative care, **117** 388
Kamei, J., Tamura, N., Saitoh, A., Possible involvement of the spinal nitric oxide/cGMP pathway in vincristine-induced painful neuropathy in mice, **117** 112
Karchewski, L.A., see Kohno, T., **117** 77
Keefe, F.J., see Porter, L.S., **117** 340
Kester, A.D.M., see Sieben, J.M., **117** 162
Köhler, M.G., see Lindia, J.A., **117** 145
Knight, Y.E., see Bartsch, T., **117** 30
Knottnerus, J.A., see Sieben, J.M., **117** 162
Kohno, T., Ji, R.-R., Ito, N., Allchorne, A.J., Befort, K., Karchewski, L.A., Woolf, C.J., Peripheral axonal injury results in reduced μ opioid receptor pre- and post-synaptic action in the spinal cord, **117** 77
Kontinen, V., see Hamunen, K., **117** 40
Kraemer, C., see Leinisch, E., **117** 396
Kruis, M.R., see Vranken, J.H., **117** 231
Kwon, O.W., see Ahn, D.K., **117** 204
Kyung, H.M., see Ahn, D.K., **117** 204

Lang, E.V., Response to Dr A.M. Cyna, **117** 239
Lee, H., Ernst, E., Response to Stener-Victorin et al., **117** 238
Lehto, S.G., see Dubé, G.R., **117** 88
Leinisch, E., Evers, S., Kaempfe, N., Kraemer, C., Sostak, P., Jürgens, T., Straube, A., May, A., Evaluation of the efficacy of intravenous acetaminophen in the treatment of acute migraine attacks: a double-blind, placebo-controlled parallel group multicenter study, **117** 396
Levy, M.J., see Bartsch, T., **117** 30
Lindia, J.A., Köhler, M.G., Martin, W.J., Abbadie, C., Relationship between sodium channel $Na_V1.3$ expression and neuropathic pain behavior in rats, **117** 145
Lipkus, I., see Porter, L.S., **117** 340
Lundeberg, T., see Stener-Victorin, E., **117** 237
Lynn, B., see Dilley, A., **117** 462

Machado, L.A.C., Problems with the 'open-hidden' paradigm: the debate is still open and the answer is still hidden. Comment on Finniss and Benedetti. (Pain 2005;114:3-6), **117** 240
Mancl, L., see Turner, J.A., **117** 377
Martin, W.J., see Lindia, J.A., **117** 145
Matulenko, M.A., see Dubé, G.R., **117** 88
May, A., see Leinisch, E., **117** 396
Medeiros, R., see Ferreira, J., **117** 171
Meneses, A., see Rocha-González, H.I., **117** 182
Mense, S., see Hoheisel, U., **117** 358
Mercado, A.C., Carroll, L.J., Cassidy, J.D., Côté, D.C.P., Passive coping is a risk factor for disabling neck or low back pain, **117** 51
Miglioretti, D.L., see Von Korff, M., **117** 304
Mitchell, R., see Wilson, J.A., **117** 421
Mogil, J.S., Chanda, M.L., The case for the inclusion of female subjects in basic science studies of pain, **117** 1
Moreland, R.B., see Dubé, G.R., **117** 88
Morimoto, S., see Inada, Y., **117** 251
Moritani, M., see Ambalavanar, R., **117** 280
Morley, S., see Yates, S.L., **117** 314
Moroi, K., see Inada, Y., **117** 251

Nagamine, K., see Asai, H., **117** 19
Nakamura, T., see Inada, Y., **117** 251
Németh, J., see Bölcskei, K., **117** 368

Obara, I., see Starowicz, K., **117** 401
Ochoa, J.L., Letter to the editor of Pain, **117** 236
Okada, M., see Handa, Y., **117** 271
Okamoto, K., see Bereiter, D.A., **117** 58

Ozaki, N., see Asai, H., **117** 19
Ozaki, N., see Handa, Y., **117** 271

Palyo, S.A., Beck, J.G., Post-traumatic stress disorder symptoms, pain, and perceived life control: Associations with psychosocial and physical functioning, **117** 121
Pang, S.J., see Dilley, A., **117** 462
Park, H.S., see Ahn, D.K., **117** 204
Pasricha, P.J., see Winston, J.H., **117** 214
Pathirathna, S., Todorovic, S.M., Covey, D.F., Jevtovic-Todorovic, V., 5α-reduced neuroactive steroids alleviate thermal and mechanical hyperalgesia in rats with neuropathic pain, **117** 326
Pavlidis, P., see Barr, G.A., **117** 6
Pethő, G., see Bölcskei, K., **117** 368
Pickering, A.E., see Besson, M., **117** 154
Pintér, E., see Bölcskei, K., **117** 368
Portegijs, P.J.M., see Sieben, J.M., **117** 162
Porter, L.S., Keefe, F.J., Lipkus, I., Hurwitz, H., Ambivalence over emotional expression in patients with gastrointestinal cancer and their caregivers: Associations with patient pain and quality of life, **117** 340
Przewlocka, B., see Starowicz, K., **117** 401
Przewłocki, R., see Starowicz, K., **117** 401

Qin, J., see Barr, G.A., **117** 6

Rahman, W., see Suzuki, R., **117** 292
Roach, N.K., see Woby, S.R., **117** 137
Robles, B., see Veciana, M., **117** 443
Rocha-González, H.I., Meneses, A., Carlton, S.M., Granados-Soto, V., Pronociceptive role of peripheral and spinal 5-HT_7 receptors in the formalin test, **117** 182
Rosie, R., see Wilson, J.A., **117** 421
Rubio, F., see Veciana, M., **117** 443
Rygh, L. J, see Suzuki, R., **117** 292

Saitoh, A., see Kamei, J., **117** 112
Sándor, K., see Bölcskei, K., **117** 368
Sauer, H., see Bär, K.-J., **117** 97
Shenoy, M., see Winston, J.H., **117** 214
Shinoda, M., see Asai, H., **117** 19
Sibille, E.L., see Barr, G.A., **117** 6
Sieben, J.M., Vlaeyen, J.W.S., Portegijs, P.J.M., Verbunt, J.A., van Riet-Rutgers, S., Kester, A.D.M., Von Korff, M., Arntz, A.A., Knottnerus, J., A longitudinal study on the predictive validity of the fearavoidance model in low back pain, **117** 162
Sorkin, L.S., see Jones, T.L., **117** 259
Sostak, P., see Leinisch, E., **117** 396
Starowicz, K., Obara, I., Przewłocki, R., Przewlocka, B., Inhibition of morphine tolerance by spinal melanocortin receptor blockade, **117** 401
Stener-Victorin, E., Cummings, M., Lundeberg, T., Comment on: Acupuncture analgesia during surgery: a systematic review by Hyangsook Lee and Edzard Ernst, Pain 114 (2005) 511–517, **117** 237
Stewart, A.O., see Dubé, G.R., **117** 88
Straube, A., see Förderreuther, S., **117** 242
Straube, A., see Leinisch, E., **117** 396
Subieta, A.R., see Banik, R.K., **117** 68
Sugiura, Y., see Asai, H., **117** 19
Sugiura, Y., see Handa, Y., **117** 271
Suzuki, R., Rahman, W., Rygh, L.J., Webber, M., Hunt, S. P, Dickenson, A. H, Spinal-supraspinal serotonergic circuits regulating neuropathic pain and its treatment with gabapentin, **117** 292
Symons, F.J., Danov, S.E., A prospective clinical analysis of pain behavior and self-injurious behavior, **117** 473
Szabó, Á., see Bölcskei, K., **117** 368
Szolcsányi, J., see Bölcskei, K., **117** 368

Tamura, N., see Kamei, J., **117** 112
Tang, B., see Ji, Y., **117** 433
Teerijoki-Oksa, T., see Jääskeläinen, S.K., **117** 349
Todorovic, S.M., see Pathirathna, S., **117** 326
Tohnai, I., see Asai, H., **117** 19
Tomita, Y., see Handa, Y., **117** 271
Tookman, A., see Kamboj, S.K., **117** 388
Tracey, I., see Iannetti, G.D., **117** 236
Traub, R.J., see Ji, Y., **117** 433
Trichês, K.M., see Ferreira, J., **117** 171
Troost, D., see Vranken, J.H., **117** 231
Turner, J.A., Mancl, L., Aaron, L.A., Brief cognitive-behavioral therapy for temporomandibular disorder pain: Effects on daily electronic outcome and process measures, **117** 377

Ueda, M., see Asai, H., **117** 19
Unger, T., see Hoheisel, U., **117** 358
Urmston, M., see Woby, S.R., **117** 137

Valls-Solé, J., see Veciana, M., **117** 443
van der Vegt, M.H., see Vranken, J.H., **117** 231
van Riet-Rutgers, S., see Sieben, J.M., **117** 162
Veciana, M., Valls-Solé, J., Rubio, F., Callén, A., Robles, B., Laser evoked potentials and prepulse inhibition of the blink reflex in patients with Wallenberg's syndrome, **117** 443
Verbunt, J.A., see Sieben, J.M., **117** 162
Vlaeyen, J.W.S., see Sieben, J.M., **117** 162
Von Korff, M., see Sieben, J.M., **117** 162
Von Korff, M., Miglioretti, D.L., A prognostic approach to defining chronic pain, **117** 304
Vranken, J.H., Troost, D., Wegener, J.T., Kruis, M.R., van der Vegt, M.H., Neuropathological findings after continuous intrathecal administration of S(+)-ketamine for the management of neuropathic cancer pain, **117** 231

Wagner, G., see Bär, K.-J., **117** 97
Wang, S., see Barr, G.A., **117** 6
Wang, X., see Dubé, G.R., **117** 88
Wasan, A.D., Davar, G., Jamison, R., The association between negative affect and opioid analgesia in patients with discogenic low back pain, **117** 450
Watson, P.J., see Woby, S.R., **117** 137
Webber, M., see Suzuki, R., **117** 292
Wegener, J.T., see Vranken, J.H., **117** 231
Weizblit, N., see Gagliese, L., **117** 412
Willer, J.-C., see Danziger, N., **117** 478
Wilson, J.A., Garry, E.M., Anderson, H.A., Rosie, R., Colvin, L.A., Mitchell, R., Fleetwood-Walker, S.M., NMDA receptor antagonist treatment at the time of nerve injury prevents injury-induced changes in spinal NR1 and NR2B subunit expression and increases the sensitivity of residual pain behaviours to subsequently administered NMDA receptor antagonists, **117** 421
Winston, J.H., He, Z.-J., Shenoy, M., Xiao, S.-Y., Pasricha, P.J., Molecular and behavioral changes in nociception in a novel rat model of chronic pancreatitis for the study of pain, **117** 214
Woby, S.R., Roach, N.K., Urmston, M., Watson, P.J., Psychometric properties of the TSK-11: A shortened version of the Tampa Scale for Kinesiophobia, **117** 137
Wood, R.W., see Foster, D.C., **117** 128
Woolf, C.J., see Kohno, T., **117** 77
Wu, C., see Banik, R.K., **117** 68

Xiao, S.-Y., see Winston, J.H., **117** 214

Yates, S.L., Morley, S., Eccleston, C., de C. Williams, A.C., A scale for rating the quality of psychological trials for pain, **117** 314
Youn, D.H., see Ahn, D.K., **117** 204

Zambreanu, L., see Iannetti, G.D., **117** 236

Pain 117 (2005) 487–492

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 117 (2005)

α-2,8-Sialyltransferase
GD3 synthase gene knockout mice exhibit thermal hyperalgesia and mechanical allodynia but decreased response to formalin-induced prolonged noxious stimulation, **117**, 271

Acetaminophen
Evaluation of the efficacy of intravenous acetaminophen in the treatment of acute migraine attacks: a double-blind, placebo-controlled parallel group multicenter study, **117**, 396

Acute treatment
Evaluation of the efficacy of intravenous acetaminophen in the treatment of acute migraine attacks: a double-blind, placebo-controlled parallel group multicenter study, **117**, 396

Alcohol
Multiple types of sensory neurons respond to irritating volatile organic compounds (VOCs): Calcium fluorimetry of trigeminal ganglion neurons, **117**, 193

Aldehyde
Multiple types of sensory neurons respond to irritating volatile organic compounds (VOCs): Calcium fluorimetry of trigeminal ganglion neurons, **117**, 193

Allodynia
Relationship between sodium channel $Na_V1.3$ expression and neuropathic pain behavior in rats, **117**, 145

Amiloride
Electrophysiological and in vivo characterization of A-317567, a novel blocker of acid sensing ion channels, **117**, 88

AMPA
Activated PKA and PKC, but not CaMKIIα, are required for AMPA/Kainate-mediated pain behavior in the thermal stimulus model, **117**, 259

Analgesia
Peripheral axonal injury results in reduced μ opioid receptor pre- and post-synaptic action in the spinal cord, **117**, 77

Analgesia
The association between negative affect and opioid analgesia in patients with discogenic low back pain, **117**, 450

Analgesics
Systematic review on analgesics given for pain following tonsillectomy in children, **117**, 40

Anterior spinal artery syndrome
Anatomy of the cervical intervertebral foramina: vulnerable arteries and ischemic neurologic injuries after transforaminal epidural injections, **117**, 104

Antinociception
Inhibition of morphine tolerance by spinal melanocortin receptor blockade, **117**, 401

Antisense
Relationship between sodium channel $Na_V1.3$ expression and neuropathic pain behavior in rats, **117**, 145

ASIC
Electrophysiological and in vivo characterization of A-317567, a novel blocker of acid sensing ion channels, **117**, 88

ATP
Trigeminal $P2X_3$ receptor expression differs from dorsal root ganglion and is modulated by deep tissue inflammation, **117**, 280

Beliefs
Brief cognitive-behavioral therapy for temporomandibular disorder pain: Effects on daily electronic outcome and process measures, **117**, 377

Blink reflex
Laser evoked potentials and prepulse inhibition of the blink reflex in patients with Wallenberg's syndrome, **117**, 443

Brain type 3
Relationship between sodium channel $Na_V1.3$ expression and neuropathic pain behavior in rats, **117**, 145

CaMKIIα
Activated PKA and PKC, but not CaMKIIα, are required for AMPA/Kainate-mediated pain behavior in the thermal stimulus model, **117**, 259

Cancer pain
Heat and mechanical hyperalgesia in mice model of cancer pain, **117**, 19

Cancer pain
Neuropathological findings after continuous intrathecal administration of S(+)-ketamine for the management of neuropathic cancer pain, **117**, 231

Capsaicin
Multiple types of sensory neurons respond to irritating volatile organic compounds (VOCs): Calcium fluorimetry of trigeminal ganglion neurons, **117**, 193

Capsaicin
The impact of ethnic differences in response to capsaicin-induced trigeminal sensitization, **117**, 223

Carrageenan-induced mechanical hyperalgesia
Investigation of the role of TRPV1 receptors in acute and chronic nociceptive processes using gene-deficient mice, **117**, 368

Causalgia
Surgical relief of causalgia with an artificial nerve guide tube: Successful surgical treatment of causalgia (Complex Regional Pain Syndrome Type II) by in situ tissue engineering with a polyglycolic acid-collagen tube, **117**, 251

Cervical spine
Anatomy of the cervical intervertebral foramina: vulnerable arteries and ischemic neurologic injuries after transforaminal epidural injections, **117**, 104

C-fibers
Microarray analysis of gene expression following the formalin test in the infant rat, **117**, 6

Children
Systematic review on analgesics given for pain following tonsillectomy in children, **117**, 40

Chronic pain
Brief cognitive-behavioral therapy for temporomandibular disorder pain: Effects on daily electronic outcome and process measures, **117**, 377

doi:10.1016/S0304-3959(05)00446-X

Chronic pain
Post-traumatic stress disorder symptoms, pain, and perceived life control: Associations with psychosocial and physical functioning, **117**, 121

Cognitive function
The effects of immediate-release morphine on cognitive functioning in patients receiving chronic opioid therapy in palliative care, **117**, 388

Cognitive-behavioral therapy
Brief cognitive-behavioral therapy for temporomandibular disorder pain: Effects on daily electronic outcome and process measures, **117**, 377

Complex Regional Pain Syndrome Type II
Surgical relief of causalgia with an artificial nerve guide tube: Successful surgical treatment of causalgia (Complex Regional Pain Syndrome Type II) by in situ tissue engineering with a polyglycolic acid-collagen tube, **117**, 251

Cooling
Multiple types of sensory neurons respond to irritating volatile organic compounds (VOCs): Calcium fluorimetry of trigeminal ganglion neurons, **117**, 193

Coping
Brief cognitive-behavioral therapy for temporomandibular disorder pain: Effects on daily electronic outcome and process measures, **117**, 377

Coping behaviour
Passive coping is a risk factor for disabling neck or low back pain, **117**, 51

Corticosteroids
Anatomy of the cervical intervertebral foramina: vulnerable arteries and ischemic neurologic injuries after transforaminal epidural injections, **117**, 104

Cutaneous blood flow
Tactile allodynia in patients with postherpetic neuralgia: Lack of change in skin blood flow upon dynamic stimulation, **117**, 154

Cyclooxygenase inhibitor
Central cyclooxygenase inhibitors reduced IL-1β-induced hyperalgesia in temporomandibular joint of freely moving rats, **117**, 204

Daily electronic diary
Brief cognitive-behavioral therapy for temporomandibular disorder pain: Effects on daily electronic outcome and process measures, **117**, 377

Depression
Pain perception in major depression depends on pain modality, **117**, 97

Diabetic/toxic/traumatic neuropathy
Investigation of the role of TRPV1 receptors in acute and chronic nociceptive processes using gene-deficient mice, **117**, 368

Disability
Passive coping is a risk factor for disabling neck or low back pain, **117**, 51

Dorsal horn
Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat, **117**, 433

Dorsal horn neurone
The possible role of the NO-cGMP pathway in nociception: Different spinal and supraspinal action of enzyme blockers on rat dorsal horn neurones, **117**, 358

Dorsal root ganglia
Electrophysiological and in vivo characterization of A-317567, a novel blocker of acid sensing ion channels, **117**, 88

Dorsal root ganglia
Relationship between sodium channel $Na_V1.3$ expression and neuropathic pain behavior in rats, **117**, 145

Dorsal root ganglia (DRG)
Inhibition of morphine tolerance by spinal melanocortin receptor blockade, **117**, 401

Dorsal root ganglion (DRG)
Heat and mechanical hyperalgesia in mice model of cancer pain, **117**, 19

Electrophysiology
Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat, **117**, 433

Electrophysiology
Pressure and stretch mechanosensitivity of peripheral nerve fibres following local inflammation of the nerve trunk, **117**, 462

English
Psychometric properties of the TSK-11: A shortened version of the Tampa Scale for Kinesiophobia, **117**, 137

Epidemiology
Passive coping is a risk factor for disabling neck or low back pain, **117**, 51

Epidural injection
Anatomy of the cervical intervertebral foramina: vulnerable arteries and ischemic neurologic injuries after transforaminal epidural injections, **117**, 104

Estrogen
Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat, **117**, 433

Ethnic
The impact of ethnic differences in response to capsaicin-induced trigeminal sensitization, **117**, 223

Fear of movement
Psychometric properties of the TSK-11: A shortened version of the Tampa Scale for Kinesiophobia, **117**, 137

Fear–avoidance model
A longitudinal study on the predictive validity of the fear–avoidance model in low back pain, **117**, 162

Forehead
The impact of ethnic differences in response to capsaicin-induced trigeminal sensitization, **117**, 223

Formalin
Central cyclooxygenase inhibitors reduced IL-1β-induced hyperalgesia in temporomandibular joint of freely moving rats, **117**, 204

Formalin
The case for the inclusion of female subjects in basic science studies of pain, **117**, 1

Formalin test
Investigation of the role of TRPV1 receptors in acute and chronic nociceptive processes using gene-deficient mice, **117**, 368

$GABA_A$ receptors
5α-reduced neuroactive steroids alleviate thermal and mechanical hyperalgesia in rats with neuropathic pain, **117**, 326

Gangliosides
GD3 synthase gene knockout mice exhibit thermal hyperalgesia and mechanical allodynia but decreased response to formalin-induced prolonged noxious stimulation, **117**, 271

General practice
A longitudinal study on the predictive validity of the fear–avoidance model in low back pain, **117**, 162

Geriatric pain
The measurement of postoperative pain: A comparison of intensity scales in younger and older surgical patients, **117**, 412

Glutamate
Mechanisms involved in the nociception produced by peripheral protein kinase c activation in mice, **117**, 171

Gonadal hormone
Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat, **117**, 433

Gross neurological function
GD3 synthase gene knockout mice exhibit thermal hyperalgesia and mechanical allodynia but decreased response to formalin-induced prolonged noxious stimulation, **117**, 271

Headache
Inhibition of nociceptive dural input in the trigeminal nucleus caudalis by somatostatin receptor blockade in the posterior hypothalamus, **117**, 30
Heat hyperalgesia
Heat and mechanical hyperalgesia in mice model of cancer pain, **117**, 19
Heat injury
Investigation of the role of TRPV1 receptors in acute and chronic nociceptive processes using gene-deficient mice, **117**, 368
Histopathology
Neuropathological findings after continuous intrathecal administration of S(+)-ketamine for the management of neuropathic cancer pain, **117**, 231
5-HT_{1A} receptor
Pronociceptive role of peripheral and spinal 5-HT_7 receptors in the formalin test, **117**, 182
5-HT_7 receptor
Pronociceptive role of peripheral and spinal 5-HT_7 receptors in the formalin test, **117**, 182
Hyperalgesia
Central cyclooxygenase inhibitors reduced IL-1β-induced hyperalgesia in temporomandibular joint of freely moving rats, **117**, 204
Hyperalgesia
Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat, **117**, 433
Hyperalgesia
Possible involvement of the spinal nitric oxide/cGMP pathway in vincristine-induced painful neuropathy in mice, **117**, 112
Hyperalgesia
Pronociceptive role of peripheral and spinal 5-HT_7 receptors in the formalin test, **117**, 182
IL-1β
Central cyclooxygenase inhibitors reduced IL-1β-induced hyperalgesia in temporomandibular joint of freely moving rats, **117**, 204
Impulse activity
The possible role of the NO-cGMP pathway in nociception: Different spinal and supraspinal action of enzyme blockers on rat dorsal horn neurones, **117**, 358
In situ tissue engineering
Surgical relief of causalgia with an artificial nerve guide tube: Successful surgical treatment of causalgia (Complex Regional Pain Syndrome Type II) by in situ tissue engineering with a polyglycolic acid-collagen tube, **117**, 251
Increasing temperature hot plate
Investigation of the role of TRPV1 receptors in acute and chronic nociceptive processes using gene-deficient mice, **117**, 368
Inferior-alveolar-nerve
Neurophysiologic and quantitative sensory testing in the diagnosis of trigeminal neuropathy and neuropathic pain, **117**, 349
Inflammation
Effect of persistent monoarthritis of the temporomandibular joint region on acute mustard oil-induced excitation of trigeminal subnucleus caudalis neurons in male and female rats, **117**, 58
Inflammation
Electrophysiological and in vivo characterization of A-317567, a novel blocker of acid sensing ion channels, **117**, 88
Intrathecal
Activated PKA and PKC, but not CaMKIIα, are required for AMPA/Kainate-mediated pain behavior in the thermal stimulus model, **117**, 259
Intrathecal pain treatment
Neuropathological findings after continuous intrathecal administration of S(+)-ketamine for the management of neuropathic cancer pain, **117**, 231
Ischemic pain
Pain perception in major depression depends on pain modality, **117**, 97
Laser
Laser evoked potentials and prepulse inhibition of the blink reflex in patients with Wallenberg's syndrome, **117**, 443
Laser evoked potentials
Laser evoked potentials and prepulse inhibition of the blink reflex in patients with Wallenberg's syndrome, **117**, 443
Lateralization
Pain perception in major depression depends on pain modality, **117**, 97
Life control
Post-traumatic stress disorder symptoms, pain, and perceived life control: Associations with psychosocial and physical functioning, **117**, 121
Lingual-nerve
Neurophysiologic and quantitative sensory testing in the diagnosis of trigeminal neuropathy and neuropathic pain, **117**, 349
Low back pain
A longitudinal study on the predictive validity of the fear–avoidance model in low back pain, **117**, 162
Low back pain
The association between negative affect and opioid analgesia in patients with discogenic low back pain, **117**, 450
MAP kinase
Mechanisms involved in the nociception produced by peripheral protein kinase c activation in mice, **117**, 171
Mechanical allodynia
Heat and mechanical hyperalgesia in mice model of cancer pain, **117**, 19
Mechanosensitivity
Pressure and stretch mechanosensitivity of peripheral nerve fibres following local inflammation of the nerve trunk, **117**, 462
Melanocortin 4 receptor (MC4-R)
Inhibition of morphine tolerance by spinal melanocortin receptor blockade, **117**, 401
Memory
The effects of immediate-release morphine on cognitive functioning in patients receiving chronic opioid therapy in palliative care, **117**, 388
Method
Systematic review on analgesics given for pain following tonsillectomy in children, **117**, 40
Mice
Mechanisms involved in the nociception produced by peripheral protein kinase c activation in mice, **117**, 171
Microarray analysis
Microarray analysis of gene expression following the formalin test in the infant rat, **117**, 6
Migraine
Evaluation of the efficacy of intravenous acetaminophen in the treatment of acute migraine attacks: a double-blind, placebo-controlled parallel group multicenter study, **117**, 396
Migraine
Inhibition of nociceptive dural input in the trigeminal nucleus caudalis by somatostatin receptor blockade in the posterior hypothalamus, **117**, 30
Morphine
The effects of immediate-release morphine on cognitive functioning in patients receiving chronic opioid therapy in palliative care, **117**, 388
Morphine tolerance
Inhibition of morphine tolerance by spinal melanocortin receptor blockade, **117**, 401
Mouse model
Heat and mechanical hyperalgesia in mice model of cancer pain, **117**, 19
Muscle
Trigeminal $P2X_3$ receptor expression differs from dorsal root ganglion and is modulated by deep tissue inflammation, **117**, 280

Nerve guide tube
Surgical relief of causalgia with an artificial nerve guide tube: Successful surgical treatment of causalgia (Complex Regional Pain Syndrome Type II) by in situ tissue engineering with a polyglycolic acid-collagen tube, **117**, 251
Nerve injury
Peripheral axonal injury results in reduced μ opioid receptor pre- and post-synaptic action in the spinal cord, **117**, 77
Nerve injury
Pressure and stretch mechanosensitivity of peripheral nerve fibres following local inflammation of the nerve trunk, **117**, 462
Nerve stretch
Pressure and stretch mechanosensitivity of peripheral nerve fibres following local inflammation of the nerve trunk, **117**, 462
Neuritis
Pressure and stretch mechanosensitivity of peripheral nerve fibres following local inflammation of the nerve trunk, **117**, 462
Neuropathic pain
NMDA receptor antagonist treatment at the time of nerve injury prevents injury-induced changes in spinal NR1 and NR2B subunit expression and increases the sensitivity of residual pain behaviours to subsequently administered NMDA receptor antagonists, **117**, 421
Neuropathic pain
Tactile allodynia in patients with postherpetic neuralgia: Lack of change in skin blood flow upon dynamic stimulation, **117**, 154
Neuropathic-pain
Neurophysiologic and quantitative sensory testing in the diagnosis of trigeminal neuropathy and neuropathic pain, **117**, 349
Neuropathy
Neurophysiologic and quantitative sensory testing in the diagnosis of trigeminal neuropathy and neuropathic pain, **117**, 349
Neuropathy
Possible involvement of the spinal nitric oxide/cGMP pathway in vincristine-induced painful neuropathy in mice, **117**, 112
Neuropeptide
Trigeminal $P2X_3$ receptor expression differs from dorsal root ganglion and is modulated by deep tissue inflammation, **117**, 280
Neurophysiologic-examination
Neurophysiologic and quantitative sensory testing in the diagnosis of trigeminal neuropathy and neuropathic pain, **117**, 349
NMDA
Activated PKA and PKC, but not CaMKIIα, are required for AMPA/Kainate-mediated pain behavior in the thermal stimulus model, **117**, 259
NMDA receptor
NMDA receptor antagonist treatment at the time of nerve injury prevents injury-induced changes in spinal NR1 and NR2B subunit expression and increases the sensitivity of residual pain behaviours to subsequently administered NMDA receptor antagonists, **117**, 421
NO synthase
Possible involvement of the spinal nitric oxide/cGMP pathway in vincristine-induced painful neuropathy in mice, **117**, 112
NO/cGMP pathway
Possible involvement of the spinal nitric oxide/cGMP pathway in vincristine-induced painful neuropathy in mice, **117**, 112
NO-cGMP pathway
The possible role of the NO-cGMP pathway in nociception: Different spinal and supraspinal action of enzyme blockers on rat dorsal horn neurones, **117**, 358
Nociception
Inhibition of nociceptive dural input in the trigeminal nucleus caudalis by somatostatin receptor blockade in the posterior hypothalamus, **117**, 30
Nociception
Mechanisms involved in the nociception produced by peripheral protein kinase c activation in mice, **117**, 171
Nociception
Multiple types of sensory neurons respond to irritating volatile organic compounds (VOCs): Calcium fluorimetry of trigeminal ganglion neurons, **117**, 193
Nociception
The possible role of the NO-cGMP pathway in nociception: Different spinal and supraspinal action of enzyme blockers on rat dorsal horn neurones, **117**, 358
Nociception
Trigeminal $P2X_3$ receptor expression differs from dorsal root ganglion and is modulated by deep tissue inflammation, **117**, 280
NR1 and NR2B subunits
NMDA receptor antagonist treatment at the time of nerve injury prevents injury-induced changes in spinal NR1 and NR2B subunit expression and increases the sensitivity of residual pain behaviours to subsequently administered NMDA receptor antagonists, **117**, 421
μ-Opioid receptor (MOR)
Inhibition of morphine tolerance by spinal melanocortin receptor blockade, **117**, 401
Opioid receptors
Peripheral axonal injury results in reduced μ opioid receptor pre- and post-synaptic action in the spinal cord, **117**, 77
Opioids
The association between negative affect and opioid analgesia in patients with discogenic low back pain, **117**, 450
Ordinal regression analysis
A longitudinal study on the predictive validity of the fear–avoidance model in low back pain, **117**, 162
Ovariectomy
Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat, **117**, 433
Pain
A prospective clinical analysis of pain behavior and self-injurious behavior, **117**, 473
Pain
Electrophysiological and in vivo characterization of A-317567, a novel blocker of acid sensing ion channels, **117**, 88
Pain
Pain perception in major depression depends on pain modality, **117**, 97
Pain
Passive coping is a risk factor for disabling neck or low back pain, **117**, 51
Pain
Peripheral axonal injury results in reduced μ opioid receptor pre- and post-synaptic action in the spinal cord, **117**, 77
Pain
Systematic review on analgesics given for pain following tonsillectomy in children, **117**, 40
Pain
The effects of immediate-release morphine on cognitive functioning in patients receiving chronic opioid therapy in palliative care, **117**, 388
Pain assessment
The measurement of postoperative pain: A comparison of intensity scales in younger and older surgical patients, **117**, 412
Palliative care
The effects of immediate-release morphine on cognitive functioning in patients receiving chronic opioid therapy in palliative care, **117**, 388
Parenteral
Evaluation of the efficacy of intravenous acetaminophen in the treatment of acute migraine attacks: a double-blind, placebo-controlled parallel group multicenter study, **117**, 396
Patient-controlled analgesia
The measurement of postoperative pain: A comparison of intensity scales in younger and older surgical patients, **117**, 412
Peripheral nociceptors
5α-reduced neuroactive steroids alleviate thermal and mechanical hyperalgesia in rats with neuropathic pain, **117**, 326

Phorbol 12-myristate 13-acetate (PMA) test
Investigation of the role of TRPV1 receptors in acute and chronic nociceptive processes using gene-deficient mice, **117**, 368
Phorbol ester
Mechanisms involved in the nociception produced by peripheral protein kinase c activation in mice, **117**, 171
Phosphodiesterase 5
The possible role of the NO-cGMP pathway in nociception: Different spinal and supraspinal action of enzyme blockers on rat dorsal horn neurones, **117**, 358
Physical functioning
Post-traumatic stress disorder symptoms, pain, and perceived life control: Associations with psychosocial and physical functioning, **117**, 121
PKA
Activated PKA and PKC, but not CaMKIIα, are required for AMPA/Kainate-mediated pain behavior in the thermal stimulus model, **117**, 259
PKC
Activated PKA and PKC, but not CaMKIIα, are required for AMPA/Kainate-mediated pain behavior in the thermal stimulus model, **117**, 259
Plasma somatostatin concentration
Investigation of the role of TRPV1 receptors in acute and chronic nociceptive processes using gene-deficient mice, **117**, 368
Posterior hypothalamus
Inhibition of nociceptive dural input in the trigeminal nucleus caudalis by somatostatin receptor blockade in the posterior hypothalamus, **117**, 30
Postherpetic neuraliga
Tactile allodynia in patients with postherpetic neuralgia: Lack of change in skin blood flow upon dynamic stimulation, **117**, 154
Postnatal
Microarray analysis of gene expression following the formalin test in the infant rat, **117**, 6
Postoperative
Systematic review on analgesics given for pain following tonsillectomy in children, **117**, 40
Post-operative pain
Electrophysiological and in vivo characterization of A-317567, a novel blocker of acid sensing ion channels, **117**, 88
Postoperative pain
The measurement of postoperative pain: A comparison of intensity scales in younger and older surgical patients, **117**, 412
Post-traumatic stress disorder
Post-traumatic stress disorder symptoms, pain, and perceived life control: Associations with psychosocial and physical functioning, **117**, 121
Pre-emptive analgesia
NMDA receptor antagonist treatment at the time of nerve injury prevents injury-induced changes in spinal NR1 and NR2B subunit expression and increases the sensitivity of residual pain behaviours to subsequently administered NMDA receptor antagonists, **117**, 421
Prepulse inhibition
Laser evoked potentials and prepulse inhibition of the blink reflex in patients with Wallenberg's syndrome, **117**, 443
Primary afferent
Trigeminal $P2X_3$ receptor expression differs from dorsal root ganglion and is modulated by deep tissue inflammation, **117**, 280
Progesterone
Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat, **117**, 433
Protein kinase C
Mechanisms involved in the nociception produced by peripheral protein kinase c activation in mice, **117**, 171
Psychometrics
The measurement of postoperative pain: A comparison of intensity scales in younger and older surgical patients, **117**, 412
Psychopathology
The association between negative affect and opioid analgesia in patients with discogenic low back pain, **117**, 450
Psychosocial functioning
Post-traumatic stress disorder symptoms, pain, and perceived life control: Associations with psychosocial and physical functioning, **117**, 121
Quantitative-sensory-testing
Neurophysiologic and quantitative sensory testing in the diagnosis of trigeminal neuropathy and neuropathic pain, **117**, 349
Randomized controlled trial
Brief cognitive-behavioral therapy for temporomandibular disorder pain: Effects on daily electronic outcome and process measures, **117**, 377
Regeneration
Surgical relief of causalgia with an artificial nerve guide tube: Successful surgical treatment of causalgia (Complex Regional Pain Syndrome Type II) by in situ tissue engineering with a polyglycolic acid-collagen tube, **117**, 251
Reliability
Psychometric properties of the TSK-11: A shortened version of the Tampa Scale for Kinesiophobia, **117**, 137
Repetitive strain injury
Pressure and stretch mechanosensitivity of peripheral nerve fibres following local inflammation of the nerve trunk, **117**, 462
Responsiveness
Psychometric properties of the TSK-11: A shortened version of the Tampa Scale for Kinesiophobia, **117**, 137
SB-269970
Pronociceptive role of peripheral and spinal $5\text{-}HT_7$ receptors in the formalin test, **117**, 182
Sciatic nerve
5α-reduced neuroactive steroids alleviate thermal and mechanical hyperalgesia in rats with neuropathic pain, **117**, 326
Secondary mechanical allodynia
Activated PKA and PKC, but not CaMKIIα, are required for AMPA/Kainate-mediated pain behavior in the thermal stimulus model, **117**, 259
Self-injurious behavior
A prospective clinical analysis of pain behavior and self-injurious behavior, **117**, 473
Sensitization
The impact of ethnic differences in response to capsaicin-induced trigeminal sensitization, **117**, 223
Sensory system
Pain perception in major depression depends on pain modality, **117**, 97
Serotonin
Pronociceptive role of peripheral and spinal $5\text{-}HT_7$ receptors in the formalin test, **117**, 182
Sex differences
Effect of persistent monoarthritis of the temporomandibular joint region on acute mustard oil-induced excitation of trigeminal subnucleus caudalis neurons in male and female rats, **117**, 58
Sex differences
The case for the inclusion of female subjects in basic science studies of pain, **117**, 1
S(+)-ketamine
Neuropathological findings after continuous intrathecal administration of S(+)-ketamine for the management of neuropathic cancer pain, **117**, 231
Sodium channel blocker
Relationship between sodium channel $Na_V1.3$ expression and neuropathic pain behavior in rats, **117**, 145

Somatostatin
Inhibition of nociceptive dural input in the trigeminal nucleus caudalis by somatostatin receptor blockade in the posterior hypothalamus, **117**, 30
Spared nerve injury
Relationship between sodium channel $Na_V1.3$ expression and neuropathic pain behavior in rats, **117**, 145
Spinal
NMDA receptor antagonist treatment at the time of nerve injury prevents injury-induced changes in spinal NR1 and NR2B subunit expression and increases the sensitivity of residual pain behaviours to subsequently administered NMDA receptor antagonists, **117**, 421
Spinal cord
Inhibition of morphine tolerance by spinal melanocortin receptor blockade, **117**, 401
Spinal cord
Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat, **117**, 433
Spinal cord
Neuropathological findings after continuous intrathecal administration of S(+)-ketamine for the management of neuropathic cancer pain, **117**, 231
Spinal cord
Peripheral axonal injury results in reduced μ opioid receptor pre- and post-synaptic action in the spinal cord, **117**, 77
Spinal cord injury
Anatomy of the cervical intervertebral foramina: vulnerable arteries and ischemic neurologic injuries after transforaminal epidural injections, **117**, 104
Spinal processing
Pronociceptive role of peripheral and spinal $5\text{-}HT_7$ receptors in the formalin test, **117**, 182
Spinal sensitization
Activated PKA and PKC, but not CaMKIIα, are required for AMPA/Kainate-mediated pain behavior in the thermal stimulus model, **117**, 259
Substance P
Mechanisms involved in the nociception produced by peripheral protein kinase c activation in mice, **117**, 171
T channels
5α-reduced neuroactive steroids alleviate thermal and mechanical hyperalgesia in rats with neuropathic pain, **117**, 326
Tactile allodynia
Tactile allodynia in patients with postherpetic neuralgia: Lack of change in skin blood flow upon dynamic stimulation, **117**, 154
Tail-withdrawal
The case for the inclusion of female subjects in basic science studies of pain, **117**, 1
Temporomandibular disorders
Brief cognitive-behavioral therapy for temporomandibular disorder pain: Effects on daily electronic outcome and process measures, **117**, 377
Temporomandibular joint
Effect of persistent monoarthritis of the temporomandibular joint region on acute mustard oil-induced excitation of trigeminal subnucleus caudalis neurons in male and female rats, **117**, 58
Thermal nociception
5α-reduced neuroactive steroids alleviate thermal and mechanical hyperalgesia in rats with neuropathic pain, **117**, 326
Thermal threshold
Pain perception in major depression depends on pain modality, **117**, 97
TMD
Brief cognitive-behavioral therapy for temporomandibular disorder pain: Effects on daily electronic outcome and process measures, **117**, 377
TMJ
Central cyclooxygenase inhibitors reduced IL-1β-induced hyperalgesia in temporomandibular joint of freely moving rats, **117**, 204
Tonsillectomy
Systematic review on analgesics given for pain following tonsillectomy in children, **117**, 40
Transforaminal injection
Anatomy of the cervical intervertebral foramina: vulnerable arteries and ischemic neurologic injuries after transforaminal epidural injections, **117**, 104
Traumatic brain injury
A prospective clinical analysis of pain behavior and self-injurious behavior, **117**, 473
Trial
Systematic review on analgesics given for pain following tonsillectomy in children, **117**, 40
Trigeminal
The impact of ethnic differences in response to capsaicin-induced trigeminal sensitization, **117**, 223
Trigeminal brainstem
Effect of persistent monoarthritis of the temporomandibular joint region on acute mustard oil-induced excitation of trigeminal subnucleus caudalis neurons in male and female rats, **117**, 58
Trigeminal-nerve
Neurophysiologic and quantitative sensory testing in the diagnosis of trigeminal neuropathy and neuropathic pain, **117**, 349
TRPV1
Heat and mechanical hyperalgesia in mice model of cancer pain, **117**, 19
TRPV1
Multiple types of sensory neurons respond to irritating volatile organic compounds (VOCs): Calcium fluorimetry of trigeminal ganglion neurons, **117**, 193
TRPV1 receptor
Investigation of the role of TRPV1 receptors in acute and chronic nociceptive processes using gene-deficient mice, **117**, 368
TSK
Psychometric properties of the TSK-11: A shortened version of the Tampa Scale for Kinesiophobia, **117**, 137
TSK-11
Psychometric properties of the TSK-11: A shortened version of the Tampa Scale for Kinesiophobia, **117**, 137
Validity
Psychometric properties of the TSK-11: A shortened version of the Tampa Scale for Kinesiophobia, **117**, 137
Validity
The measurement of postoperative pain: A comparison of intensity scales in younger and older surgical patients, **117**, 412
Variability
The case for the inclusion of female subjects in basic science studies of pain, **117**, 1
Vincristine
Possible involvement of the spinal nitric oxide/cGMP pathway in vincristine-induced painful neuropathy in mice, **117**, 112
Visceral pain
Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat, **117**, 433
Visceromotor response
Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat, **117**, 433
Wallenberg's syndrome
Laser evoked potentials and prepulse inhibition of the blink reflex in patients with Wallenberg's syndrome, **117**, 443